

1	2	3	4	5	6	7	8	9	10	11		12
24.	2	16-17	222	-	-	-	-	-				
25.	2	17-18	198	-	-	-	-	-	.	-	-	
26.	2	18		-	-	-	-	-	HP-9 z Ø 80 st. wodom	-	-	włqcz. w istn. sieć
27.	2	18-19	27		-	-	-	4	. 2*z Ø 150 z Ø 100 st. wodom	-	-	ć
28.	2	19-20	-	153					z Ø 100 st. wodom	Betonowe płyty 3*26		rurociąg c przekop włqcz. w istn. sieć
RAZEM			1405	208	-	-	12	4	9 szt. HP 9 szt.z Ø 80 4 szt.z. Ø 100 5 szt. z.Ø 150 2 studnie wodom. 1200	78	122,50	1*przekop 4 m 2*przewiert 12m 3*włqcz. w sieć 160

ZESTAWIENIE ARMATURY W POSZCZEGÓLNYCH WĘZŁACH

LP	Nr węzła	Trójnik T				Króciec						Dwuzłączka MMW			hydr		Kolano stop.	Zasuwa z			Łuk PCV ŁW								Nasuwka			Studnia wodom	uwagi
						FF			FW												O 160				O100								
		150/150	150/100	150/80	100/80	150	100	80	150	100	80	160	110	90	HP	Zasuwa		150	100	80	90	45	30	90	45	30	11	o150	o100	o80			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	27	28	29	30	31	32	33	34	35	36	
1.	1	-	-	1	-	2	-	-	-	-	2	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
2.	2	-	-	1	-	2	-	-	-	-	2	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3.	3	-	-	1	-	2	-	-	-	-	2	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4.	6	-	-	1	-	2	-	-	-	-	2	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
5.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
6.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
7.	9	-	-	1	-	2	-	-	-	-	2	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8.	10	-	1	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
9.	11	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
10.	12	-	-	1	-	2	-	-	-	-	2	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
11.	15	-	-	1	-	2	-	-	-	-	2	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
12.	16	1	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
13.	18	-	-	2	-	2	-	-	1	-	-	1	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1-	1		
14.	19	-	1	-	-	2	1	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
15.	20	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1		
Razem		1	2	9	-	20	4	1	4	1	14	10	1	-	9	9	9	5	3	1	-	-	2	-	-	-	-	1	1	2	2		

ZESTAWIENIE PRZYŁĄCZY GOLA UL.JARACZEWSKA

Lp.	Adres	Numer posesji	Nr działki	Długość przyłącza	Średnica	Opaska 160/40	Zestaw licznik.	Roboty odtworzeniowe		Uwagi
								Płyty betonowe	Kostka	
1	3	4	5	6	7	8	9	10	11	13
1.	Gola ul. Jaraczewska	37	375	23	PE 40	1	1		1,5*2,0	
2.		39	374	40		1	1		1,5*2,0	
3.		41	373	16		1	1		1,5*2,0	
4.		43	372	15		1	1		1,5*2,0	
5.		45	371	26		1	1		1,5*2,0	
6.		47	370	14		1	1		1,5*2,0	
7.		49	369	17		1	1		1,5*2,0	
8.		51	368	28		1	1		1,5*2,0	
9.		53	367	22		1	1		1,5*2,0	
10.		53	367	19		1	1		1,5*2,0	
11.		55	366	19		1	1		1,5*2,0	
12.		57	365	17		1	-		1,5*2,0	
13.		44	229	33		1	1		-	Rur. osł.stal. o 90 l=8m przewiert
14.		59	364	31		1	1		1,5*2,0	
15.		61	363	18		1	1		1,5*2,0	
16.		46	228	21		1	1		-	Rur.osł.stal. o 90 l=8m przewiert
17.		63	362	7		1	1		1,5*2,0	
18.		65	361	16		1	1		1,5*2,0	
19.		48	227	24		1	1		-	Rur. osł.stal. o 90 l=8m przewiert
20.		50	226	24		1	1		-	Rur. osł.stal. o 90 l=8m przewiert
21.		67	360	20		1	1		1,5*2,0	
22.		69	359	10		1	1		1,5*2,0	
23.		71	358	22		1	1		1,5*2,0	
24.		52	84	45		1	1		-	Rur. osł.stal. o 90 l=8m przewiert
25.		54	82	-		1	1		-	

26	Gola ul. Jaraczewska	71a	354/5	25	PE 63	160/50	Istn. Studnia wodomierzow			Włączenie w istniejąca sieć wewnętrzną
27		73	304/2,304/3,304/5,304/6,304/7,304/8,304/9	27	PE 40 PCV 80	1 1	¹ MWN/JS DN ø 80 na 3/4	4,0*3,0		Włączenie w istniejąca sieć wewnętrzną
28		75	304/4	-	PCV 80	1	MWN/JS DN ø 80 na 3/4			Włączenie w istniejąca sieć wewnętrzną
					554 m PE40 25 m PE 50	26 szt. 160/40 1 szt.160/50 2 szt. włączenie w istn.sieć	26 szt. JS4-02 2 szt. MWN/JSDN ø 80 na 3/4	12,0	57	5 szt. przewiert l = 40 m

